

Your Partner in IR and UV Technology

Hard Glass Infrared Lamps







Hard Glass Infrared Lamps

Hard glass lamps made from borosilicate glass offer excellent thermal and chemical resistance, making them ideal for demanding environments. When reddoped borosilicate is used, it provides a permanent, stable color without the need for potentially hazardous lacquers, which can degrade over time or emit harmful substances when heated. This enhances both safety and durability while maintaining consistent optical performance throughout the lamp's lifespan.

Product features

- 75% of the visible light is reduced with red filter
- Neck moulded to ensure caps will not come loose
- 5000 hour life

Applications

- Catering
- Agricultural
- Paint drying
- Personal care















Technical Data Hard glass infrared lamps




HLO25 heat lamp fitting

- Fitted with guard
- 2 power settings
- Max wattage 250W
- Complete with chain for suspending


Range

Hard glass clear 90241511	Code	Volts (V)	Watts (W)	Cap	Bulb	Finish
90241710 240 175 E27 R125 Clear 90112512 110 250 E27 R125 Clear 90242513 240 250 E27 R125 Clear 90243010 240 300 E27 R125 Clear 90113713 110 375 E27 R125 Clear 90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	Hard glass clear					
90112512 110 250 E27 R125 Clear 90242513 240 250 E27 R125 Clear 90243010 240 300 E27 R125 Clear 90113713 110 375 E27 R125 Clear 90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90241511	240	150	E27	R125	Clear
90242513 240 250 E27 R125 Clear 90243010 240 300 E27 R125 Clear 90113713 110 375 E27 R125 Clear 90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90241710	240	175	E27	R125	Clear
90243010 240 300 E27 R125 Clear 90113713 110 375 E27 R125 Clear 90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90112512	110	250	E27	R125	Clear
90113713 110 375 E27 R125 Clear 90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90242513	240	250	E27	R125	Clear
90243710 240 375 E27 R125 Clear Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90243010	240	300	E27	R125	Clear
Hard glass red 90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90113713	110	375	E27	R125	Clear
90241512 240 150 E27 R125 Red 90242512 240 250 E27 R125 Red	90243710	240	375	E27	R125	Clear
90242512 240 250 E27 R125 Red	Hard glass red					
	90241512	240	150	E27	R125	Red
DAD	90242512	240	250	E27	R125	Red
FAIL	PAR					
PAR240175C 240 175 E27 PAR PAR38 Clear	PAR240175C	240	175	E27 PAR	PAR38	Clear
PAR240175R 240 175 E27 PAR PAR38 Red	PAR240175R	240	175	E27 PAR	PAR38	Red
G30 Round	G30 Round					
90113710 110 375 E27 PAR G30 Clear	90113710	110	375	E27 PAR	G30	Clear
Heat lamp fitting	Heat lamp fitting					
HLO25	HLO25	-	-	-	-	-



The information contained in this literature is for general information purposes only. Victory Lighting (UK) Ltd endeavours to keep the information up to date and correct, but makes no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability with respect to the information, products, services, or related graphics contained in this literature.

Victory Lighting (UK) Ltd accepts no liability for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this literature.



[©] Victory Lighting (UK) Ltd 2025

Contact us today

And learn more about our Infrared technology solutions

+44 (0) 1525 487960 sales@victorylighting.co.uk victorylighting.co.uk

VICT線RY INFRARED

